

Local Snapshot

Pacific County Positive Cases: 3188

New Cases since January 19: 235

Pacific County Cases over 14 Days: 551

Pacific County Hospitalizations to Date: 143

New Hospitalizations this week: 6

Pacific County Deaths: 43

New Pacific County Deaths this week: 1

Case rate per 100k/14 days: 3114

Information from PCHHS as of 2:26 p.m. 1/26/2022

The Pacific County Emergency Operations Center is Open Monday - Friday, 8:00am - 4:00pm

Please give us a call with any COVID-19 related questions or concerns.

North County: (360) 875-9407 / South County: (360) 642-9407.

If you are experiencing a medical, or, other type of emergency, please contact 9-1-1 immediately. If no one is available to take your call during regular business hours please leave a message and someone will get back to you within 3 business days.

From Director Lindstrom

COVID-19 case numbers have surged in Pacific County in recent weeks, driven by the highly contagious omicron variant. While case, hospitalization and death rates increased among those who are fully vaccinated, partially vaccinated and unvaccinated, data shows that rates continue to be several times higher among those who are unvaccinated.

Data from the past month show:

*For age 12-34, those who are unvaccinated are 2 times more likely to get COVID-19 and 5 times more likely to be hospitalized compared with those who are fully vaccinated.

*For age 35-64, those who are unvaccinated are 3 times more likely to get COVID-19 compared with fully vaccinated 35-64 year-olds and 7 times more likely to be hospitalized.

*For age 65+, those who are unvaccinated are 4 times more likely to get COVID-19, 7 times more likely to be hospitalized, and 11 times more likely to die from COVID-19 compared with fully vaccinated 65+ year-olds.

COVID-19 vaccines work. They continue to be very effective at preventing hospitalization and death from COVID-19. If you're not yet vaccinated or haven't gotten your booster dose, please sign up today! Current local clinic options can be found at www.pacificcountycovid19.com/get-vaccinated

Definitions: Cases are considered fully vaccinated two weeks after completing the COVID-19 vaccine series (two doses for Pfizer or Moderna or one dose of Johnson & Johnson). Cases are considered partially vaccinated if they have received one dose of a two-dose series or have completed the vaccine series less than two weeks prior to their infection. Cases who have not received any doses of vaccine are considered unvaccinated.

Clinics this week:

Ocean Beach Hospital & Medical Clinics (PFIZER ONLY) 1st, 2nd and 3rd doses
Feb 1st (3-4pm)

Ilwaco Timberland Library Community Room 158 First Ave North Ilwaco WA **(Not at the hospital)**
<https://prepmo.doh.wa.gov/appointment/en/reg/2690177109>

Ocean Beach Hospital & Medical Clinics **(PFIZER ONLY) PEDIATRIC**

Feb 1st -second dose 21 days after **(starts at 4pm)**

158 First Ave N Ilwaco WA **Ilwaco Timberland Library Community Room.**
<https://prepmo.doh.wa.gov/appointment/en/reg/1072996601>

Peninsula Pharmacy

Tuesdays only - schedules posted monthly

www.covidvaccine360.com

Raymond Pharmacy


Please check our website for clinics after 01/01/2022

www.raymondcovidvaccine.com

Pacific County Weekly COVID 19 Case Data

Pacific County Case Data Summary	1/12/2022	1/19/2022	1/26/2022
Cases (Total)	2637	2953	3188
New cases this week	222	316	235
New cases over 14 days	369	538	551
Total Hospitalizations	134	137	143
New hospitalizations this week	6	3	6
Deaths (total)	42	42	43
Case rate per 100,000 population over 14 days	1700.5	2597	3114


Pacific County COVID-19 Case Rate per 100,000 population over past 14 days (trend over time)



Updated 1/26/2022

Deaths & Hospitalizations due to COVID-19 in Pacific County


March 1, 2021-present



Updated 1/26/2022

COVID-19 Cases in Pacific County

March 1, 2021- present



Updated 1/26/2022

Pacific County Vaccine Rates: Initiation & Fully Vaccinated

	1/12/22	1/19/22	1/26/22
Percent of total population initiating vaccine	61.3%	62%	62.4%
Percent of total population fully vaccinated	54.2%	54.6%	55%
Percent of population 12+ initiating vaccine	68.7%	69.3%	69.8%
Percent of population 12+ fully vaccinated	60.6%	61.1%	61.6%
Total doses given (includes boosters)	32,068	32,513	32,736

Pacific County COVID-19 Cases by Age Group

Age	1/5/2022	1/12/2022	1/19/2022	1/26/2022
0-9	185	215	255	278
10-19	348	391	475	531
20-29	276	306	339	379
30-39	375	405	469	502
40-49	336	364	396	425
50-59	304	331	362	380
60-69	271	294	315	333
70+	251	266	285	300
Incomplete data	68	65	57	60

Updated 1/26/2022

Case Rate by Zip Code	1/12/2022	1/19/2022	1/26/2022
Bay Center (98527)	25	30	36
Chinook (98614)	36	43	43
Ilwaco (98624)	111	120	136
Long Beach (98631)	301	329	366
Lebam (98554)	2	2	2
Naselle (98638)	143	166	195
Nahcotta (98637)	5	6	6
Menlo (98561)	5	5	5
Ocean Park (98640)	296	328	365
Oysterville (98641)	9	10	10
Seaview (98644)	63	74	82
Raymond (98577)	1072	1178	1252
South Bend (98586)	361	422	447
Tokeland (98590)	29	33	35
Grayland (98547)	40	47	49
Incomplete data	139	160	159

Pacific County Cases by Zip Code

- Confirmed case count is specific to each zip code.
- Represents permanent residence of Pacific County COVID-19 cases.
- Not a representation of where COVID-19 exposure or transmission occurred.

Updated 1/26/2022

Do I need a **BOOSTER?**

	Who's eligible?	When should I get a booster?	Which booster?
If you got... Pfizer	Everyone 12+ should get their booster dose.	At least 5 months after completing the primary series of Pfizer vaccine.	Adults 18+ can get a booster dose of any COVID-19 vaccines (Pfizer or Moderna preferred). Children 12-17 should get a Pfizer booster.
If you got... Moderna	Adults 18+ should get their booster dose.	At least 5 months after completing the primary series of Moderna vaccine.	A booster dose of any COVID-19 vaccines (Moderna or Pfizer preferred).
If you got... Johnson & Johnson	Adults 18+ should get their booster dose.	At least 2 months after completing the primary series of J&J vaccine.	A booster dose of any COVID-19 vaccines (Pfizer or Moderna vaccine is preferred over a J&J vaccine).

Find appointments at:

www.pacificcountycovid19.com/get-vaccinated



**Got Symptoms?
Get Tested.**



**¿Tiene síntomas?
Hacerse la prueba.**

For a full list of testing options available in Pacific County, Please visit:

www.pacificcountycovid19.com/get-tested

Or call 360-875-9407

Para obtener una lista completa de las opciones de prueba disponibles en el condado de Pacific, visite:

<https://tinyurl.com/bdesxrtk>

o llamar 360-875-9407

Download printable copies at: <http://www.pacificcounty covid19.com/if-you-have-covid-19.html>



What to do if you are exposed to COVID:

<p>IF YOU were exposed to COVID-19 and are NOT up-to-date on COVID-19 vaccinations (including boosters if eligible)</p>	<p>Quarantine for at least 5 days</p> <ul style="list-style-type: none"> Stay home for at least 5 full days. <p>Get tested</p> <ul style="list-style-type: none"> Get tested at least 5 days after close contact with someone with COVID-19. If you don't get a test and have symptoms, assume you are positive and isolate. <p>Take precautions until Day 10</p> <ul style="list-style-type: none"> Wear a quality mask for 10 days when around others. <p>Avoid travel</p> <p>Avoid being around people who are high risk</p>
<p>IF YOU were exposed to COVID and you are up-to-date on COVID vaccinations</p>	<p>No Quarantine</p> <ul style="list-style-type: none"> You do not need to stay home unless you develop symptoms. <p>Take precautions until Day 10</p> <ul style="list-style-type: none"> Wear a quality mask for 10 days when around others. Get tested if you develop symptoms, or assume you are positive and isolate for 5 days. <p>Avoid travel</p> <p>Avoid being around people who are high risk</p>
<p>IF YOU were exposed and had confirmed COVID within the past 90 days</p>	<p>No Quarantine</p> <ul style="list-style-type: none"> You do not need to quarantine unless you develop symptoms. <p>Take precautions until Day 10</p> <ul style="list-style-type: none"> Take precautions until Day 10. Wear a mask for 10 days when around others. If you develop symptoms, assume you are positive and isolate for 5 days. <p>Avoid travel</p> <p>Avoid being around people who are high risk</p>



What to do if you test positive:

For non-tested: If you are symptomatic or have been exposed to COVID and unable to get tested, please assume you are positive and follow the advice below.

<p>Isolate at home, away from others.</p> <ul style="list-style-type: none"> Isolate at least 5 days OR 24 hours after symptoms improve and no fever without fever-reducing medicine WHICHEVER IS LONGER. Day 1 of your isolation period begins the first full day after symptoms start. Continue to wear a quality mask while around others until day 10.
<p>Reach out to your <u>close contacts</u> and let them know they've been exposed and they should quarantine.</p> <ul style="list-style-type: none"> Quarantine for a minimum of 5 days from the last date of exposure. If no symptoms by day 5, quarantine can end but continue to wear a face covering and monitor for symptoms until day 10. If symptoms develop, get tested. If unable to test, assume you are positive & isolate. Close contacts include anyone you were around who is not fully vaccinated for more than 15 minutes while you were infectious (2 days prior to when symptoms started).
<p>Wear a mask while inside and ask others in your home to do the same (preferably a KN95, KF-94, or a 3-ply surgical mask, if possible)</p>
<p>Ventilate your space as much as you can.</p> <ul style="list-style-type: none"> If your home has an HVAC system, make sure it has a fresh filter. Consider using a HEPA air purifier if you don't have HVAC. Open the windows and doors whenever possible and safe to do so. Use fans to move virus particles from inside your home to outside.
<p>Stay hydrated, use OTC medications such as acetaminophen to manage symptoms. Seek medical care if you display the following symptoms:</p> <ul style="list-style-type: none"> Trouble breathing. Persistent pain or pressure in the chest. Confusion, inability to wake or stay awake. Pain, gray or blue-colored skin, lips, or nail beds or an abnormally low reading on a pulse oximeter (if you have one). <p><small>*This list is not all possible symptoms. Call your medical provider if you have any other signs or concerning symptoms.</small></p>
<p>More information at: www.pacificcounty covid19.com</p>

END STATUS REPORT