

Local Snapshot

Pacific County Positive Cases: 3774
New Cases since March 2: 17
Pacific County Cases over 14 Days: 41
Pacific County Hospitalizations to Date: 157
New Hospitalizations this week: 1
Pacific County Deaths: 52
New Pacific County Deaths this week: 2
Case rate per 100k/14 days: 203

COVID Testing Clinics Next Week**North County**

Pacific County Health Department
1216 West Robert Bush Drive, South Bend
(360) 875-9300
Appointments available from 10-1
By Appointment Only
For symptomatic or close contacts only
Sign-up for an appointment:
<https://hipaa.iotform.com/220277381545154>

South County

Pacific County Health Department
7013 Sandridge Road, Long Beach
(360) 875-9300
Appointments available from 10-1
By Appointment Only
For symptomatic or close contacts only
Sign-up for an appointment:
<https://hipaa.iotform.com/220276330543044>

Updated DOH guidance documents. The following guidance documents for health care settings have been updated to align with CDC recommendations and national guidelines:

[Interim COVID-19 Outbreak Definition for Health Care Settings](#)

- Aligns with the Council of State and Territorial Epidemiologists' (CSTE)/Council for Outbreak Response: Healthcare-Associated (COHRA) outbreak definition.

[Interim Guidance for Visitors in Inpatient Hospitals and Outpatient Settings During the COVID-19 Pandemic](#)

- Visitors who are up to date with COVID-19 vaccines and who have been exposed to COVID-19 should not visit health care facilities until 10 days after onset of COVID-19 symptoms or 10 days after a positive test.

- Visitors not up to date with COVID-19 vaccines and who have been exposed to COVID-19 should not visit health care facilities until 10 days after COVID-19 exposure, or after 7 days with a negative test.

Interim Guidance for SARS-CoV-2 Source Control in Health Care Settings

- Aligns with CDC's removal of language indicating that a face mask is an acceptable alternative to a respirator when caring for patients with COVID-19. Use of a face mask when caring for patients with COVID-19 is still included as a crisis capacity strategy.

Interim Guidance for Transferring Residents between Long-Term Care and other Health Care Settings

- Newly admitted residents not up to date with COVID-19 vaccines and who have been exposed to COVID-19 should quarantine for 10 days, or for 7 days with a negative test
- No longer recommend pausing admission as long as the long-term care facility can safely admit the resident, and the resident or power of attorney (POA)/guardian is made aware of the COVID-19 status in the facility.

COVID VACCINE AND TESTING CLINICS

Below are the upcoming COVID-19 vaccine and testing clinics in Pacific County. You can also visit our website at: www.pacificcountycovid19.com

Vaccine Clinics

Ocean Beach Hospital and Medical Clinics (PFIZER ONLY) 1st, 2nd, and 3rd doses

Ages 12+

Boosters Available

March 15th- *second dose 21 days after (starts at 3:00pm)

Ilwaco Timberland Library- Community Room

158 First Ave. N Ilwaco, WA

<https://prepmo.doh.wa.gov/appointment/en/reg/3669920621>

Ocean Beach Hospital and Medical Clinics (PFIZER ONLY) PEDIATRIC

Ages 5-11

No Boosters

March 15th- *second dose 21 days after (starts at 3:45pm)

Ilwaco Timberland Library- Community Room

158 First Ave. N Ilwaco, WA

<https://prepmo.doh.wa.gov/appointment/en/reg/9901630902>

Ocean Beach Hospital and Medical Clinics (PFIZER ONLY) 1st, 2nd, and 3rd doses

Ages 12+

Boosters Available

March 22nd- *second dose 21 days after (starts at 3:00pm)

Ilwaco Timberland Library- Community Room

158 First Ave. N Ilwaco, WA

<https://prepmo.doh.wa.gov/appointment/en/reg/9298301636>

Ocean Beach Hospital and Medical Clinics (PFIZER ONLY) PEDIATRIC

Ages 5-11

No Boosters

March 22nd *second dose 21 days after (starts at 3:45pm)

Ilwaco Timberland Library- Community Room

158 First Ave. N Ilwaco, WA

<https://prepmo.doh.wa.gov/appointment/en/reg/0061309792>

Ocean Beach Hospital and Medical Clinics (PFIZER ONLY) 1st, 2nd, and 3rd doses

Ages 12+

Boosters Available

April 12th- *second dose 21 days after (starts at 3:00pm)

Ilwaco Timberland Library- Community Room

158 First Ave. N Ilwaco, WA

<https://prepmo.doh.wa.gov/appointment/en/reg/0209913066>

Ocean Beach Hospital and Medical Clinics (PFIZER ONLY) PEDIATRIC

Ages 5-11

No Boosters

April 12th- *second dose 21 days after (starts at 3:45pm)

Ilwaco Timberland Library- Community Room

158 First Ave. N Ilwaco, WA

<https://prepmo.doh.wa.gov/appointment/en/reg/9192306001>

Peninsula Pharmacy

Ages 5+

Boosters Available

Tuesdays only- schedules posted monthly

Off-Site (not at pharmacy)

117 Spruce St E, Ilwaco, WA

www.covidvaccine360.com

Raymond Pharmacy

Boosters Available

Check the pharmacy website for clinics after 01/01/2022

Raymond Pharmacy

515 Commercial St., Raymond, WA

www.raymondcovidvaccine.com

Family Health Center Klipsan (Moderna)

Ages 18+

No Boosters

On-going for established patients, by appointment

21610 Pacific Way, Klipsan, WA

Established patients please call 360-665-3000 to schedule an appointment

Valleyview Health Center (Moderna)

Ages 18+

No Boosters

On-going for established patients, by appointment

300 Ocean Ave., Raymond

Call 360-942-3040 to schedule an appointment

Testing Clinics

Pacific County Health Department Parking Lot

1216 West Robert Bush Drive, South Bend

(360) 875-9407

Appointments available from 10-2 on Mondays

Open to anyone

Walk up or sign-up for an appointment:

<https://book.curative.com/sites/34717>

Pacific County Health Department 1216 West Robert Bush Drive, South Bend (360) 875-9407

Appointments available from 10-1 on Wednesdays

By Appointment Only

For symptomatic or close contacts only

Sign-up for an appointment: <https://hipaa.jotform.com/220277381545154>

Pacific County Health Department 7013 Sandridge Road, Long Beach (360) 875-9407

Appointments available from 10-1 on Wednesdays

By Appointment Only

For symptomatic or close contacts only

Sign-up for an appointment: <https://hipaa.jotform.com/220276330543044>

Peninsula Pharmacy (Ilwaco Test Site)

Drive through by appointment only

101 Bolstad Ave Space 2 Long Beach, WA 98631

10:00am-1:00pm on Thursdays

www.covidtest360.com or call 360-244-0606

Get a vaccine, exposure notifications, COVID-19 testing, and proof of vaccination. Use the DOH [vaccine locator](#) to help end the pandemic. Next, get [WA Notify](#) so you'll know if you've been near another WA Notify user who later tests positive for COVID-19. To get quickly and easily tested anywhere in Washington, visit the DOH [COVID-19 testing locations page](#). For K-12 students, staff, and parents/guardians, learn more about our [partnership that helps schools provide easy COVID-19 testing on site](#). Once vaccinated, you can provide your vaccination status using [WA Verify](#).

Latest COVID-19 reopening guidance for businesses and workers. See a full [list of current reopening guidance](#) from the Governor's Office.

Guidance and resources for employers and business owners. [Sign up for the Economic and Business Resilience Newsletter.](#)

At-Home COVID-19 Test Kits Available!

Pacific County Health Department in partnership with [Timberland Regional Library](#) and [Shoalwater Bay Medical Clinic](#) is pleased to announce the Pacific County at-home COVID test kit program. This program is in addition to the Washington State (www.sayyescovidhometest.org) and the federal (www.covidtests.gov) at-home test kit programs and is limited to those who live or work in Pacific County. Beginning today, February 9th, individuals can pick up one test kit per person at the locations listed below. Each kit contains 2 rapid COVID tests that people can administer themselves at home. We recommend everyone has a home kit on hand in case they develop symptoms of COVID-19 or in case they are exposed to someone who tests positive. For those testing due to exposure to COVID-19, it is best to wait until day 5 after exposure to ensure the most accurate test results. If individuals

test positive on their at-home test kit, we encourage them to report their positive result here:

<http://www.pacificcountycovid19.com/repothometest.html>

Please note, if you are currently experiencing symptoms and need a test, call the front desk of the location you are picking up at upon arrival and a staff member will bring the kit out to your car- Please do not enter the building if you are symptomatic.

Naselle Timberland Library

4 Parpala Rd.

Naselle

360-484-3877 (if you are experiencing symptoms, please call when you arrive and someone will bring a test out to your car)

Hours of Operation:

Tue 10:00am 7:00pm

Wed 10:00am 7:00pm

Fri 10:00am 5:00pm

Sat 10:00am 3:00pm

Closed Sunday, Monday, and Thursday

South Bend Library

1216 W 1st St.

South Bend

360-875-5532 (if you are experiencing symptoms, please call when you arrive and someone will bring a test out to your car)

Hours of operation:

Monday 10:00 AM - 5:00 PM

Tuesday 10:00 AM - 5:00 PM

Thursday 10:00 AM - 5:00 PM

Friday 10:00 AM - 5:00 PM

Closed Wednesday, Saturday Sunday

Raymond Library

507 Duryea St

Raymond

360-942-2408 (if you are experiencing symptoms, please call when you arrive and someone will bring a test out to your car)

Hours of operation:

Tuesday 10:00 AM - 6:00 PM

Wednesday 10:00 AM - 6:00 PM

Thursday 10:00 AM - 6:00 PM

Friday 10:00 AM - 6:00 PM

Saturday 10:00 AM - 5:00 PM

Closed Sunday, Monday

Ilwaco Timberland Library

158 1st Ave N

Ilwaco

360-642-3908 (if you are experiencing symptoms, please call when you arrive and someone will bring a test out to your car)

Hours of operation:

Tues - Thurs 10 a.m. - 6 p.m.

Fri & Sat 10 a.m. - 5 p.m.

Closed Sundays and Mondays

Ocean Park Timberland Library

1308 256th Place

Ocean Park

360-665-4184 (if you are experiencing symptoms, please call when you arrive and someone will bring a test out to your car)

Hours of operation:

Tuesday - Thursday 10 - 6

Friday - Saturday 9 - 5

Closed Sunday / Monday

Pacific County Health Dept (Long Beach)

7013 Sandridge Road

Long Beach

360-642-9349 (if you are experiencing symptoms, please call when you arrive and someone will bring a test out to your car)

Hours of operation:

Monday- Thursday 8:00-4:30 (closed 12:00-1:00 for lunch)

Closed Fridays

Pacific County Health Dept (South Bend)

1216 West Robert Bush Drive

South Bend

360-875-9343 (if you are experiencing symptoms, please call when you arrive and someone will bring a test out to your car)

Hours of operation:

Monday-Friday 8:00-4:30 (closed 12:00-1:00 for lunch)

Shoalwater Medical Clinic

2373 Old Tokeland Rd. Bldg E

Tokeland

360-267-0119 or 800-841-2244

Hours of operation:

Monday- Friday 8:30 AM-4:30 PM (closed 12:00-1:00 for lunch)

Additional information about and other testing options in Pacific County can be found at: www.pacificcountycovid19.com/at-home-testing

Federal Free At- Home Test Kit Program

Every home in the U.S. is eligible to order 4 free at-home COVID-19 tests. Orders will usually ship in 7-12 days. Order your tests now so you have them when you need them.

<https://www.covidtests.gov/>

Or call: 1-800-232-0233

Washington State At-Home Test Kit Program

Offering free, rapid, at-home COVID-19 test kits to residents of Washington State.

<https://www.sayyescovidhometest.org/>

Free N95 Masks!

Available at any Timberland Regional Library or Health Department location.

The Pacific County Emergency Operations Center is Open **Monday - Friday, 8:00am - 4:00pm**

Please give us a call with any COVID-19 related questions or concerns.

North County: (360) 875-9407 / South County: (360) 642-9407.

If you are experiencing a medical, or, other type of emergency, please contact 9-1-1 immediately. If no one is available to take your call during regular business hours please leave a message and someone will get back to you within 3 business days.

The state COVID-19 Assistance Hotline is a general information line related to COVID-19. If you need information or have a general question, call 1-800-525-0127, then press # or text 211-211 for help. New hours of operation are 6 a.m. to 10 p.m. Monday, and 6 a.m. to 6 p.m. Tuesday through Sunday and on [observed state holidays](#). You can also text the word "Coronavirus" to 211-211 to receive information and updates on your phone wherever you are. You will receive links to the latest information on COVID-19, including county-level updates, and resources for families, businesses, students, and more.


Washington Listens helps people manage stress and anxiety they may be experiencing because of COVID-19. If you or anyone you know is having difficulties managing stress, call the Washington Listens support line at 1-833-681-0211. Hours are from 9 a.m. to 9 p.m. Monday through Friday, and 9 a.m. to 6 p.m. Saturdays and Sundays. TTY and language access services are available by using 7-1-1 or their preferred method. [See resources and self-help tips from Washington Listens.](#)

Pacific County Weekly COVID 19 Case Data

| Pacific County Case Data Summary | 2/23/2022 | 3/2/2022 | 3/9/2022 |
|---|-----------|----------|----------|
| Cases (Total) | 3733 | 3757 | 3774 |
| New cases this week | 61 | 24 | 17 |
| New cases over 14 days | 163 | 85 | 41 |
| Total Hospitalizations | 156 | 156 | 157 |
| New hospitalizations this week | 0 | 0 | 1 |
| Deaths (total) | 50 | 50 | 52 |
| Case rate per 100,000 population over 14 days | 707 | 448.2 | 203 |

Updated 3/9/2022

Pacific County COVID-19 Case Rate per 100,000 population over past 14 days (trend over time)



Updated 3/9/2022

COVID-19 Cases, Hospitalizations, and Deaths by Vaccination Status

Washington State Department of Health

March 2, 2022

Unvaccinated **12-34 year-olds** in Washington are

- 3 times more likely to get COVID-19 compared with fully vaccinated 12-34 year-olds.
- 5 times more likely to be hospitalized with COVID-19 compared with fully vaccinated 12-34 year olds

Unvaccinated **35-64 year-olds** are

- 3 times more likely to get COVID-19 compared with fully vaccinated 35-64 year-olds.
- 6 times more likely to be hospitalized with COVID-19 compared with fully vaccinated 35-64 year olds

Unvaccinated **65+ year-olds** are

- 4 times more likely to get COVID-19 compared with fully vaccinated 65+ year-olds.
- 7 times more likely to be hospitalized with COVID-19 compared with fully vaccinated 65+ year-olds.
- 7 times more likely to die of COVID-19 compared with fully vaccinated 65+ year-olds.

<https://doh.wa.gov/sites/default/files/2022-02/421-010-CasesInNotFullyVaccinated.pdf>

| Pacific County Vaccine Rates: Initiation & Fully Vaccinated | 3/2/2022 | 3/9/2022 |
|--|-----------------|-----------------|
| Percent of total population initiating vaccine | 66.6% | 66.7% |
| Percent of total population fully vaccinated | 59.1% | 59.3% |
| Percent of population 16+ initiating vaccine | 75.1% | 75.2% |
| Percent of population 16+ fully vaccinated | 66.9% | 67.2% |
| Percent of the population 5+ initiating vaccine | 66.6% | 69.7% |
| Percent of the population 5 + who are fully vaccinated | 61.7% | 62% |
| Percent of the eligible population who has received a booster | | 53.5% |
| Total doses given (initial series and boosters) | 34,986 | 35,134 |

Updated 3/9/2022

| Case Rate by Zip Code | 3/2/2022 | 3/9/2022 |
|------------------------------|-----------------|-----------------|
| Bay Center (98527) | 37 | 37 |
| Chinook (98614) | 54 | 54 |
| Ilwaco (98624) | 167 | 170 |
| Long Beach (98631) | 438 | 443 |
| Lebam (98554) | 2 | 2 |
| Naselle (98638) | 237 | 238 |
| Nahcotta (98637) | 6 | 6 |
| Menlo (98561) | 7 | 7 |
| Ocean Park (98640) | 456 | 462 |
| Oysterville (98641) | 13 | 13 |
| Seaview (98644) | 95 | 94 |
| Raymond (98577) | 1478 | 1485 |
| South Bend (98586) | 494 | 495 |
| Tokeland (98590) | 41 | 42 |
| Grayland (98547) | 52 | 52 |
| Incomplete data | 181 | 174 |

Pacific County Cases by Zip Code

- Confirmed case count is specific to each zip code.
- Represents permanent residence of Pacific County COVID-19 cases.
- Not a representation of where COVID-19 exposure or transmission occurred.

Updated 3/9/2022

Pacific County COVID-19 Cases by Age Group

| Age | 2/16/2022 | 2/23/2022 | 3/2/2022 | 3/9/2022 |
|-----------------|-----------|-----------|----------|----------|
| 0-9 | 322 | 336 | 338 | 338 |
| 10-19 | 624 | 628 | 634 | 638 |
| 20-29 | 414 | 418 | 425 | 430 |
| 30-39 | 469 | 577 | 579 | 581 |
| 40-49 | 474 | 487 | 489 | 490 |
| 50-59 | 439 | 443 | 447 | 450 |
| 60-69 | 396 | 402 | 402 | 404 |
| 70+ | 367 | 379 | 384 | 387 |
| Incomplete data | 67 | 63 | 59 | 56 |

Updated 3/9/2022

Download printable copies at: <http://www.pacificcounty covid19.com/if-you-have-covid-19.html>



What to do if you are exposed to COVID:

IF YOU were exposed to COVID-19 and are NOT up-to-date on COVID-19 vaccinations (including boosters if eligible)

Quarantine for at least 5 days

- Stay home for at least 5 full days.

Get tested

- Get tested at least 5 days after close contact with someone with COVID-19.
- If you can't get a test and have symptoms, assume you are positive and isolate.

Take precautions until Day 10

- Wear a quality mask for 10 days while around others.

Avoid travel

Avoid being around people who are high risk

IF YOU were exposed to COVID and you are up-to-date on COVID vaccinations

No Quarantine

- You do not need to stay home unless you develop symptoms.

Take precautions until Day 10

- Wear a quality mask for 10 days when around others.
- Get tested if you develop symptoms, or assume you are positive and isolate for 5 days.

Avoid travel

Avoid being around people who are high risk

IF YOU were exposed and had confirmed COVID within the past 90 days

No Quarantine

- You do not need to quarantine unless you develop symptoms.

Take precautions until Day 10

- Take precautions until Day 10.
- Wear a mask for 10 days when around others.
- If you develop symptoms, assume you are positive and isolate for 5 days.

Avoid travel

Avoid being around people who are high risk



What to do if you test positive:

For non-isolated: If you are symptomatic, it has been reported as COVID, and unable to get a test, please assume you are positive and follow the advice below.

Isolate at home, away from others.

- Isolate at least 5 days OR 24 hours after symptoms improve and no fever without fever-reducing medicine **WHICHEVER IS LONGER**.
- Day 1 of your isolation period begins the first full day after symptoms start.
- Continue to wear a quality mask while around others until day 10.

Reach out to your close contacts and let them know they've been exposed and they should quarantine.

- Quarantine for a minimum of 5 days from the last date of exposure.
- If no symptoms by day 5, quarantine can end but continue to wear a face covering and monitor for symptoms until day 10.
- If symptoms develop, get tested. If unable to test, assume you are positive & isolate.
- Close contacts include anyone you were around who is not fully vaccinated for more than 15 minutes while you were infectious (2 days prior to when symptoms started).

Wear a mask while inside and ask others in your home to do the same (preferably a KN95, KF-94, or a 3-ply surgical mask, if possible)

Ventilate your space as much as you can.

- If your home has an HVAC system, make sure it has a fresh filter. Consider using a HEPA air purifier if you don't have HVAC.
- Open the windows and doors whenever possible and safe to do so.
- Use fans to move virus particles from inside your home to outside.

Stay hydrated, use OTC medications such as acetaminophen to manage symptoms. Seek medical care if you display the following symptoms:

- Trouble breathing.
- Persistent pain or pressure in the chest.
- Confusion, inability to wake or stay awake.
- Pale, gray, or blue-colored skin, lips, or nail beds (or an abnormally low reading on a pulse oximeter, if you have one).

*This list is not all possible symptoms. Call your medical provider if you have any other severe or concerning symptoms.

More information at: www.pacificcounty covid19.com

Download printable copies at: <http://www.pacificcountycovid19.com/at-home-testing.html>



COVID-19 Home Testing

When to use your COVID-19 At Home Test :

- If you have COVID-19 symptoms, like a fever or cough, test right away.
- If you were a close contact of someone with COVID-19, wait at least 5 days to test.
- If you are testing before a gathering, test right before the gathering, or as close to the event as possible.

Please read the test instructions or watch the video below.

https://www.youtube.com/watch?v=qBt_H4Gc-rU



Reporting your positive results:

*Do not report negative results.

While we don't require individuals to report their at-home COVID-19 test results, we highly recommend people to do so, and to let close contacts know about potential exposure. Your honest responses help us understand how the virus is affecting you and your community.

Options to report an at home test:

- Report online using the QR code or directly at: www.pacificcountycovid19.com/reporthometest
- Call us at: (360) 875-9407



Use WA Notify to alert other users that they may have been exposed.

<https://www.doh.wa.gov/Emergencies/COVID19/WANotify>



Getting a COVID-19 vaccine after you recover from COVID-19 infection provides added protection for your immune system. You are eligible to receive a COVID-19 vaccine (or booster) once you have fully recovered from your COVID-19 infection. Schedule an appointment at: www.pacificcountycovid19.com/get-vaccinated



Have more questions? Call us at (360) 875-9407 or visit: www.pacificcountycovid19.com



Pruebas de hogar para el COVID-19

Cuando usar la prueba de detección de COVID-19 para el hogar:

- Cuando tenga síntomas del COVID-19, como fiebre o tos, hágase la prueba de inmediato.
- Cuando tenga contacto cercano con una persona que este positivo para el COVID-19, espere al menos 5 días para realizarse la prueba.
- Cuando se realice la prueba para una reunión, hágase la prueba antes del evento, o lo mas cerca al evento.

Por favor lea las instrucciones para la realización de la prueba o vea el video siguiente:

<https://www.youtube.com/watch?v=yGbw1uFPvY>



Como reportar un resultado positivo de COVID-19:

*No reporte un resultado negativo.

Aunque no es un requisito reportar su resultado positivo de COVID-19 de una prueba hecha en casa, es recomendado que lo haga, y de hacerle saber a sus contactos cercanos de una posible exposición. Una respuesta honesta de su parte nos ayuda a entender como lo afecta el virus y como afecta a la comunidad.

Opciones para reportar una prueba de casa:

- Repórtelo en línea usando el código de QR o directamente en: www.pacificcountycovid19.com/reporthometest
- Llámenos al: (360) 875-9407



Usa Notifica WA para alertar a otros usuarios sobre una posible exposición.

<https://www.doh.wa.gov/Emergencies/COVID19/WANotify/Spanish>



Después de su infección de COVID-19 póngase la vacuna para proteger aún más su sistema inmunológico. Usted es elegible para recibir una vacuna del COVID-19 (o vacuna de refuerzo) cuando este recuperado de su infección de COVID-19. Haga una cita en: www.pacificcountycovid19.com/get-vaccinated



¿Si tiene preguntas? Llámenos al (360) 875-9407 o visite: www.pacificcountycovid19.com



Free At-Home COVID-19 Tests & N95 Masks

Pick yours up today!

- Naselle Library
- South Bend Library
- Raymond Library
- Ocean Park Library
- Ilwaco Library
- Pacific County Health Dept (Long Beach or South Bend Office)
- Olympic Area Agency on Aging
- City of Long Beach
- Shoalwater Clinic



COVID-19 Treatment Options

If you are high risk of severe illness due to COVID-19 (as defined below), call your provider to see if you are eligible!

Key points to know:

- Monoclonal antibody treatments (mAB) and oral antiviral medications are available in Pacific County
- Medical provider order is required
- Treatments are most effective if administered within the first few days of disease (the earlier the better)
- Those who are high risk due to age or certain underlying health conditions are eligible. Talk to your provider to see if they are right for you!

More information: <https://www.cdc.gov/coronavirus/2019-ncov/your-health/treatments-for-severe-illness.html>

 World Health Organization

Home care for COVID-19: Guide for family and caregivers

| | | | |
|--|--|---|--|
|  <p>Identify one household member to be the caregiver. The caregiver should have no high risk factors and the fewest contacts with people outside.</p> |  <p>Prepare a separate room or isolated space for the person with COVID-19 infection.</p> |  <p>Open a window(s) to improve ventilation and increase the circulation of fresh air.</p> |  <p>Do not allow visitors and try to avoid close contact (less than 1 metre) with the person with COVID-19 infection.</p> |
|  <p>Everyone should wear a medical mask when in the same room with the person with COVID-19 infection.</p> |  <p>Clean hands frequently using soap and water or an alcohol-based hand sanitizer.</p> |  <p>Clean and disinfect frequently touched surfaces, especially those touched by the person with COVID-19 infection.</p> |  <p>Use separate dishes, cups, eating utensils and bedding from the person with COVID-19 infection.</p> |
|  <p>The person with COVID-19 infection should rest, drink plenty of fluids, and eat nutritious food; continue any medication for chronic conditions.</p> |  <p>Take paracetamol/acetaminophen for fever and/or body pain according to instructions. Antibiotics are not effective against COVID-19 infection.</p> |  <p>Monitor the person with COVID-19 infection's symptoms regularly. Call your healthcare provider immediately if you see any of these danger signs:</p> <ul style="list-style-type: none">• Difficulty breathing• Chest pain• Confusion• Loss of speech or mobility | |

In some people there is a risk of more severe COVID-19.

High risk factors include:

- age 60 and over
- hypertension
- diabetes
- cardiac disease
- chronic lung disease
- cerebrovascular disease
- dementia
- mental disorders
- chronic kidney disease
- immunosuppression (including HIV)
- obesity
- cancer

During pregnancy, women over the age of 35, obesity, and chronic conditions are also **high risk factors**.

People who are infected with the **COVID-19 virus** and have any of these risk factors should be closely monitored by a health provider.

A pulse oximeter can be used to monitor oxygen levels.



- For people with **high risk factors**, check oxygen levels twice a day and report results to a health provider.
- Follow instructions on how to appropriately use the device.
- If the oxygen level on the screen is **less than 90%**, call for emergency help.
- If the oxygen level is **between 90-94%**, reach out to your health care provider for further guidance.
- For children, if the oxygen level is **less than 90%** plus a cough, difficulty breathing, inability to breastfeed or drink, lethargy or unconsciousness, or convulsions, call for emergency help.

Do I need a **BOOSTER?**

| | Who's eligible? | When should I get a booster? | Which booster? |
|------------------------------|---|--|--|
| If you got... | | | |
| Pfizer | Everyone 12+ should get their booster dose. | At least 5 months after completing the primary series of Pfizer vaccine. | Adults 18+ can get a booster dose of any COVID-19 vaccines (Pfizer or Moderna preferred). Children 12-17 should get a Pfizer booster. |
| If you got... | | | |
| Moderna | Adults 18+ should get their booster dose. | At least 5 months after completing the primary series of Moderna vaccine. | A booster dose of any COVID-19 vaccines (Moderna or Pfizer preferred). |
| If you got... | | | |
| Johnson & Johnson | Adults 18+ should get their booster dose. | At least 2 months after completing the primary series of J&J vaccine. | A booster dose of any COVID-19 vaccines (Pfizer or Moderna vaccine is preferred over a J&J vaccine). |

Find appointments at:

[www.pacificcountycovid19.com/
get-vaccinated](http://www.pacificcountycovid19.com/get-vaccinated)

END STATUS REPORT