

Local Snapshot

Pacific County Positive Cases: 4247

New Cases since June 15: 63

Pacific County Cases over 14 Days: 97

Pacific County Hospitalizations to Date: 173

New Hospitalizations this week: 0


Pacific County Deaths: 58

New Pacific County Deaths this week: 0

Case rate per 100k/14 days: 448

Transmission Risk is High

Current case rate per a 100k population is 448. The Two-Week case rate in Pacific County is: HIGH.



● When case rates are moderate or high, it's a good idea to keep masking in indoor settings to protect yourself and others.

● When case rates fall below 100 per 100,000 it is safer for most people to begin unmasking in indoor spaces.

● For those at high risk of severe illness from COVID-19 or those with household members at high risk, recommend continuing to wear masks until case rates are very low (<50/100,000).

Statewide Data Updates

For the most recent number of cases by county, demographics, and more, visit the [Department of Health's dashboard](#).

The Washington State Department of Health has begun reporting "Percent of population 6 months + initiating/full vaccinated", which has replaced the "5 years+" categories shared in previous weekly data updates. The Department of Health is also having technical issues with the "Percent of Population 16+ initiating/fully vaccinated." This is why these percentages are unavailable this week. We apologize for the inconvenience and will continue to update you as they work to resolve this issue.

Information about the increasing proportions of Omicron BA.4 and BA.5 has also been included in this week's data update to help keep you updated about the current trends found with both.

COVID Testing Clinics Next Week

Pacific County Health Department
1216 West Robert Bush Drive, South Bend
(360) 875-9407
Appointments available from 10-1 on Wednesdays
By Appointment Only
For symptomatic or close contacts only
Sign-up for an appointment: <https://hipaa.jotform.com/220736299131052>

Pacific County Health Department
7013 Sandridge Road, Long Beach (360) 875-9407
Appointments available from 10-1 on Wednesdays
By Appointment Only
For symptomatic or close contacts only
Sign-up for an appointment: <https://hipaa.jotform.com/220276330543044>

Peninsula Pharmacies
Long Beach Testing Site
101 Bolstad Ave Space #2
Long Beach, WA 98631
360 244 0606
Appointments available from 8A-10A
Testing by appointment only
Sign up for appointment:
<https://www.covidtest360.com/>

Willapa Harbor Hospital
826 Alder Street South Bend
Weekend walk in clinic 9:00am-9:00pm
Weekend clinic is walk-in and requires a doctor visit to test symptomatic patients only. Please remain in vehicle upon arrival and call 360-875-5579

Warrenton Walgreens
PCR testing by appt.
1600 East Harbor
www.walgreens.com/findcare/covid19/testing

Booster dose recommendations by age and underlying illnesses

- Children ages 5-11 should receive a booster dose five months after completing their primary vaccine series of Pfizer-BioNTech vaccine. Immunocompromised children should receive their booster at least three months after their primary series.
- Everyone 12 and older should receive a booster dose five months after completing their primary vaccine series of Pfizer or Moderna, or two months after receiving the single-shot Johnson & Johnson (J&J) vaccine.
- Those 18 and older who received a primary vaccine and booster dose of the J&J vaccine four months ago can receive a second booster dose of an mRNA COVID-19 vaccine
- Everyone 50 and older should receive a **second booster** dose four months after receiving their first booster dose.

- Individuals 12 and older who are moderately or severely immunocompromised should receive a **second booster** dose four months after receiving their first booster dose.

Effective anti-COVID drug available in Washington for eligible patients. Thousands of doses of Evusheld, a potentially life-saving COVID-19 drug, are available in our state. Evusheld could benefit those who are at highest risk for hospitalization and death from COVID-19. [Read the full April 4 news release.](#)

COVID VACCINE Clinics

Below are the upcoming COVID-19 vaccine clinics in Pacific County. You can also visit our website at:

www.pacificcountycovid19.com

Columbia Memorial Hospital Pediatric Clinic

Ages 6 months to 5 years

No Boosters

July 15th 2pm-5:30pm

CMH Pediatric Clinic

Astoria, OR

https://www.columbiamemorial.org/vaccine-clinic/?fbclid=IwAR2ynj_XpMdTT0vbzfosoH4jPqwYMUr8cD6ZY0_wTSIjr2aji6qnnXLxJLQ

Pacific County Health Department **MODERNA**

Ages 18+

Boosters Available

Tuesday, July 15th 11am-1pm

Register for an appointment at: <https://prepmo.doh.wa.gov/appointment/en/reg/1629994850>

Or call (360) 875-9407

Ilwaco Pharmacy

Ages 5+

Boosters Available

Tuesdays and Wednesdays- 10:00 am-1:30 pm

Ilwaco Pharmacy

101 First Ave. S

www.covidvaccine360.com

Ocean Beach Hospital

Ages 12+

Boosters Available

Tuesdays

Ilwaco Timberland Library Community Room 158

1st Ave N

Ilwaco WA 98624

Entrance on Left hand side

<https://prepmo.doh.wa.gov/appointment/en/reg/8956405129>

Raymond Pharmacy

Ages 5+

Boosters Available

Thursdays only- 10:30 am-1:30 pm

Raymond Pharmacy
515 Commercial St., Raymond, WA
www.raymondcovidvaccine.com

Family Health Center Klipsan (Moderna)
Ages 18+
No Boosters
On-going for established patients, by appointment
21610 Pacific Way, Klipsan, WA
Established patients please call 360-665-3000 to schedule an appointment

Valleyview Health Center (Moderna)
Ages 18+
No Boosters
On-going for established patients, by appointment
300 Ocean Ave., Raymond
Established patients please call 360-942-3040 to schedule an appointment

Shoalwater Bay Wellness at the Clinic (Moderna)
Ages 18+
Boosters Available
By appointment on open Fridays
2373 Old Tokeland Rd
Tokeland, WA
Call 360-267-0119 to schedule an appointment

Free N95 Masks!

Available at any Timberland Regional Library or Health Department location.

Free At-Home COVID-19 Tests & N95 Masks

Pick yours up today!

- Naselle Library
- South Bend Library
- Raymond Library
- Ocean Park Library
- Ilwaco Library
- Pacific County Health Dept (Long Beach or South Bend Office)
- Olympic Area Agency on Aging
- City of Long Beach
- Shoalwater Clinic



Get a vaccine, exposure notifications, COVID-19 testing, and proof of vaccination. Use the DOH [vaccine locator](#) to help end the pandemic. Next, get [WA Notify](#) so you'll know if you've been near another WA Notify user who later tests positive for COVID-19. For K-12 students, staff, and parents/guardians, learn more about our [partnership that helps schools provide easy COVID-19 testing on site](#). Once vaccinated, you can provide your vaccination status using [WA Verify](#).

The Pacific County Emergency Operations Center is Open Monday - Friday, 8:00am - 4:00pm
Please give us a call with any COVID-19 related questions or concerns.

North County: (360) 875-9407 / South County: (360) 642-9407.

If you are experiencing a medical, or, other type of emergency, please contact 9-1-1 immediately. If no one is available to take your call during regular business hours please leave a message and someone will get back to you within 3 business days.

The state COVID-19 Assistance Hotline is a general information line related to COVID-19. If you need information or have a general question, call 1-800-525-0127, then press # or text 211-211 for help. New hours of operation are 6 a.m. to 10 p.m. Monday, and 6 a.m. to 6 p.m. Tuesday through Sunday and on [observed state holidays](#). You can also text the word "Coronavirus" to 211-211 to receive information and updates on your phone wherever you are. You will receive links to the latest information on COVID-19, including county-level updates, and resources for families, businesses, students, and more.

Washington Listens helps people manage stress and anxiety they may be experiencing because of COVID-19. If you or anyone you know is having difficulties managing stress, call the Washington Listens support line at 1-833-681-0211. Hours are from 9 a.m. to 9 p.m. Monday through Friday, and 9 a.m. to 6 p.m. Saturdays and Sundays. TTY and language access services are available by using 7-1-1 or their preferred method. [See resources and self-help tips from Washington Listens](#).

Pacific County Weekly COVID 19 Case Data

Pacific County Case Data Summary	6/15/2022	6/22/2022	6/29/2022
Cases (Total)	4150	4184	4247
New cases this week	61	34	63
New cases over 14 days	103	95	97
Total Hospitalizations	172	173	173
New hospitalizations this week	2	1	0
Deaths (total)	58	58	58
Case rate per 100,000 population over 14 days	475	379	448

Pacific County COVID-19 Case Rate per 100,000 population over past 14 days (trend over time)



Updated 6/29/2022

DOH will be updating the “COVID-19 Cases, Hospitalizations, and Deaths by Vaccination Status” report every two weeks moving forward.

COVID-19 Cases, Hospitalizations, and Deaths by Vaccination Status Washington State Department of Health

June 22, 2022

Unvaccinated 12-34 year-olds in Washington are

- 1.9 times more likely to get COVID-19 compared with fully vaccinated 12-34 year-olds.
- 2.9 times more likely to be hospitalized with COVID-19 compared with fully vaccinated 12-34 year-olds.

Unvaccinated 35-64 year-olds are

- 2.1 times more likely to get COVID-19 compared with fully vaccinated 35-64 year-olds.
- 3.7 times more likely to be hospitalized with COVID-19 compared with fully vaccinated 35-64 year-olds.

Unvaccinated 65+ year-olds are

- 3.1 times more likely to get COVID-19 compared with fully vaccinated 65+ year-olds.
- 3.6 times more likely to be hospitalized with COVID-19 compared with fully vaccinated 65+ year-olds.
- 3.9 times more likely to die of COVID-19 compared with fully vaccinated 65+ year-olds.

<https://doh.wa.gov/sites/default/files/2022-02/421-010-CasesInNotFullyVaccinated.pdf?uid=62bcc8a3e0e22>

Pacific County Vaccine Rates: Initiation & Fully Vaccinated	6/22/2022	6/29/2022
Percent of total population initiating vaccine	68.7%	68.8%
Percent of total population fully vaccinated	61.5%	61.7%
Percent of population 16+ initiating vaccine	77.3%	N/A
Percent of population 16+ fully vaccinated	69.6%	N/A
Percent of the population 6 months + initiating vaccine	N/A	69.0%
Percent of the population 6 months + who are fully vaccinated	N/A	61.9%
Percent of the eligible population who has received a booster	55.1%	54.6%
Total doses given (initial series and boosters)	37,909	38,045

Updated 6/29/2022

Case Rate by Zip Code	6/22/2022	6/29/2022
Bay Center (98527)	38	38
Chinook (98614)	63	63
Ilwaco (98624)	197	200
Long Beach (98631)	523	525
Lebam (98554)	16	16
Naselle (98638)	260	264
Nahcotta (98637)	7	8
Menlo (98561)	9	11
Ocean Park (98640)	575	585
Oysterville (98641)	12	12
Seaview (98644)	110	112
Raymond (98577)	1593	1617
South Bend (98586)	535	539
Tokeland (98590)	53	53
Grayland (98547)	59	65
Incomplete data	134	134

Pacific County Cases by Zip Code

- Confirmed case count is specific to each zip code.
- Represents permanent residence of Pacific County COVID-19 cases.
- Not a representation of where COVID-19 exposure or transmission occurred.


Updated 6/29/2022

Pacific County COVID-19 Cases by Age Group

Age	6/8/2022	6/15/2022	6/22/2022	6/29/2022
0-9	366	369	369	371
10-19	661	667	671	674
20-29	450	457	458	462
30-39	603	606	609	615
40-49	531	539	545	551
50-59	491	501	509	520
60-69	469	478	483	493
70+	484	499	506	527
Incomplete data	34	34	34	34

Updated 6/29/2022

SARS-CoV-2 Variant Proportions in Washington



Big recent
increase in
BA.5

COVID-19 Omicron Variant Update

There has been an increase in the proportion of Omicron BA.4 and a large increase in Omicron BA.5. These are still considered less severe infections compared to the Delta variant, but do carry the increased transmissibility that has been associated with the Omicron variant. Initial findings for BA.4 and BA.5 suggest an increased ability to evade immune response from both vaccinations and prior infections. This is most likely why we are continuing to see an increased number of cases.

Download printable copies at: <http://www.pacificcountycovid19.com/if-you-have-covid-19.html>

What to do if you are exposed to COVID:

IF YOU were exposed to COVID-19 and are NOT up-to-date on COVID-19 vaccinations (including boosters if eligible)

Quarantine for at least 5 days

- Stay home for at least 5 full days.

Get tested

- Get tested at least 5 days after close contact with someone with COVID-19.
- If you can't get a test and have symptoms, assume you are positive and isolate.

Take precautions until Day 10

- Wear a quality mask for 10 days while around others.

Avoid travel

Avoid being around people who are high risk

IF YOU were exposed to COVID and you are up-to-date on COVID vaccinations

No Quarantine

- You do not need to stay home unless you develop symptoms.

Take precautions until Day 10

- Wear a quality mask for 10 days when around others.
- Get tested if you develop symptoms, or assume you are positive and isolate for 5 days.

Avoid travel

Avoid being around people who are high risk

IF YOU were exposed and had confirmed COVID within the past 90 days

No Quarantine

- You do not need to quarantine unless you develop symptoms.

Take precautions until Day 10

- Wear a quality mask for 10 days when around others.
- If you develop symptoms, assume you are positive and isolate for 5 days.

Avoid travel

Avoid being around people who are high risk

What to do if you test positive:

For non-tested: If you are symptomatic or have been exposed to COVID-19 and unable to get a test, please assume you are positive and follow the advice below.

Isolate at home, away from others.

- Isolate at least 5 days OR 24 hours after symptoms improve and no fever without fever-reducing medicine: **WHICHEVER IS LONGER**
- Day 1 of your isolation period begins the first full day after symptoms start.
- Continue to wear a quality mask while around others until day 10.

Reach out to your close contacts and let them know they've been exposed and they should quarantine.

- Quarantine for a minimum of 5 days from the last date of exposure.
- If no symptoms by day 5, quarantine can end but continue to wear a face covering and monitor for symptoms until day 10.
- If symptoms develop, get tested if unable to test, assume you are positive & isolate.
- Close contacts include anyone you were around who is not fully vaccinated for more than 15 minutes while you were infectious (2 days prior to when symptoms started).

Wear a mask while inside and ask others in your home to do the same (preferably a KN95, KF-94, or a 3-ply surgical mask, if possible)

Ventilate your space as much as you can.

- If your home has an HVAC system, make sure it has a fresh filter. Consider using a HEPA air purifier if you don't have HVAC.
- Open the windows and doors whenever possible and safe to do so.
- Use fans to move virus particles from inside your home to outside.

Stay hydrated, use OTC medications such as acetaminophen to manage symptoms. Seek medical care if you display the following symptoms:

- Trouble breathing
- Persistent pain or pressure in the chest
- Confusion, inability to wake or stay awake
- Pale, gray, or blue colored skin, lips, or nail beds (or an abnormally low reading on a pulse oximeter, if you have one)

*This list is not all possible symptoms. Call your medical provider if you have any other severe or concerning symptoms.

More information at: www.pacificcountycovid19.com

Download printable copies at: <http://www.pacificcountycovid19.com/at-home-testing.html>

COVID-19 Home Testing

When to use your COVID-19 At Home Test :

- If you have COVID-19 symptoms, like a fever or cough, test right away.
- If you were a close contact of someone with COVID-19, wait at least 5 days to test.
- If you are testing before a gathering, test right before the gathering, or as close to the event as possible.

Please read the test instructions or watch the video below.
https://www.youtube.com/watch?v=qBt_H4Gc-rU

Reporting your positive results:

*Do not report negative results.

While we don't require individuals to report their at-home COVID-19 test results, we highly recommend people to do so, and to let close contacts know about potential exposure. Your honest responses help us understand how the virus is affecting you and your community.

Options to report an at home test:

- Report online using the QR code or directly at: www.pacificcountycovid19.com/reporthometest
- Call us at: (360) 875-9407

Use WA Notify to alert other users that they may have been exposed.
<https://www.doh.wa.gov/Emergencies/COVID19/WANotify>

Getting a COVID-19 vaccine after you recover from COVID-19 infection provides added protection for your immune system. You are eligible to receive a COVID-19 vaccine (or booster) once you have fully recovered from your COVID-19 infection. Schedule an appointment at: www.pacificcountycovid19.com/get-vaccinated

Have more questions? Call us at (360) 875-9407 or visit: www.pacificcountycovid19.com

Pruebas de hogar para el COVID-19

Cuando usar la prueba de detección de COVID-19 para el hogar:

- Cuando tenga síntomas del COVID-19, como fiebre o tos, hágase la prueba de inmediato.
- Cuando tenga contacto cercano con una persona que este positivo para el COVID-19, espere al menos 5 días para realizarse la prueba.
- Cuando se realice la prueba para una reunión, hágase la prueba antes del evento, o lo mas cerca al evento.

Por favor lea las instrucciones para la realización la prueba o vea el video siguiente
<https://www.youtube.com/watch?v=yGbw1uFPvY>

Como reportar un resultado positivo de COVID-19:

*No reporte un resultado negativo.

Aunque no es un requisito reportar su resultado positivo de COVID-19 de una prueba echa en casa, es recomendado que lo haga, y de hacerle saber a sus contactos cercanos de una posible exposición. Una respuesta honesta de su parte nos ayuda a entender como lo afecta el virus y como afecta a la comunidad.

Opciones para reportar una prueba de casa:

- Repórtelo en línea usando el código de QR o directamente en: www.pacificcountycovid19.com/reporthometest
- Llámenos al: (360) 875-9407

Usa Notifica WA para alertar a otros usuarios sobre una posible exposición.
<https://www.doh.wa.gov/Emergencies/COVID19/WANotify/Spanish>

Después de su infección de COVID-19 póngase la vacuna para proteger aún más su sistema inmunológico. Usted es elegible para recibir una vacuna del COVID-19 (o vacuna de refuerzo) cuando este recuperado de su infección de COVID-19. Haga una cita en: www.pacificcountycovid19.com/get-vaccinated

¿Si tiene preguntas? Llámenos al (360) 875-9407 o visite: www.pacificcountycovid19.com

Home care for **COVID-19**: Guide for family and caregivers



Identify **one household member to be the caregiver**. The caregiver should have no high risk factors and the fewest contacts with people outside.



Prepare a **separate room or isolated space** for the person with COVID-19 infection.



Open a window(s) to improve ventilation and increase the circulation of fresh air.



Do not allow visitors and try to avoid close contact (less than 1 metre) with the person with COVID-19 infection.



Everyone should wear a medical mask when in the same room with the person with COVID-19 infection.



Clean hands frequently using soap and water or an alcohol-based hand sanitizer.



Clean and disinfect frequently touched surfaces, especially those touched by the person with COVID-19 infection.



Use separate dishes, cups, eating utensils and bedding from the person with COVID-19 infection.



The person with COVID-19 infection should rest, drink plenty of fluids, and eat nutritious food; continue any medication for chronic conditions.



Take **paracetamol/acetaminophen** for fever and/or body pain according to instructions. Antibiotics are not effective against COVID-19 infection.



Monitor the person with COVID-19 infection's symptoms regularly. Call your healthcare provider immediately if you see any of these danger signs:

- Difficulty breathing
- Chest pain
- Confusion
- Loss of speech or mobility

In some people there is a risk of more severe COVID-19.

High risk factors include:

- age 60 and over
- hypertension
- diabetes
- cardiac disease
- chronic lung disease
- cerebrovascular disease
- dementia
- mental disorders
- chronic kidney disease
- immunosuppression (including HIV)
- obesity
- cancer

During pregnancy, women over the age of 35, obesity, and chronic conditions are also **high risk factors**.

People who are infected with the **COVID-19 virus** and have any of these risk factors should be closely monitored by a health provider.

A pulse oximeter can be used to monitor oxygen levels.



- For people with **high risk factors**, check oxygen levels twice a day and report results to a health provider.
- Follow instructions on how to appropriately use the device.
- If the oxygen level on the screen is **less than 90%**, call for emergency help.
- If the oxygen level is **between 90-94%**, reach out to your health care provider for further guidance.
- For children, if the oxygen level is **less than 90%** plus a cough, difficulty breathing, inability to breastfeed or drink, lethargy or unconsciousness, or convulsions, call for emergency help.

Tested positive? Report
using the QR code below:



Symptomatic and School

Should the student or staff member go to school?

Spring illnesses and allergies along with COVID are in full swing right now. It is important to take any symptoms students or staff may be experiencing seriously, and not let them come to the school right away. Even though we are getting back to a more "normal" life, we still must remain vigilant when it comes to COVID and other illnesses. Below is a guide on what to do if someone is experiencing COVID-like symptoms:

If an individual has one or more of the following symptoms:

- Fever (100.4F or above) or chills
- Shortness of breath or difficulty breathing
- Muscle or body aches
- New loss of taste or smell
- Cough (New, changed or worsening)
- Congestion or runny nose
- Nausea, vomiting, or diarrhea
- Headache
- Fatigue
- Sore throat



If these symptoms are present, the individual is asked to **stay home and test for COVID-19.**

Testing is not just for one person's sake, but also for the sake of others around them.

Free tests are readily available at your child's school, Pacific County Health Department, and county libraries.

Students and staff can return back to childcare programs, activities, or school after:

If they tested positive:

- 5 days have passed since symptoms started AND
- No fever within the past 24 hours without medication AND
- Symptoms have significantly improved AND
- Wear a mask around others at ALL times from symptom onset until 10 days after (you must test **NEGATIVE** with an antigen test to return without a mask). If the staff member or student cannot wear a mask due to other health reasons, they need to remain isolating through day 10 since symptoms began

If they tested negative:

- No fever within the past 24 hours (without medication) AND
- Symptoms have significantly improved



If a staff member or student has been identified as a **close contact**, they may continue to go to the school. However, it is recommended that they get tested 3-5 days after the exposure, wear a mask for 10 days, and watch for symptoms during those 10 days. If they test positive after exposure, please follow the guidelines above.

Please report any positive cases to Pacific County Health Department using the QR code or link provided
<https://hipaa.jotform.com/220324575452048>.

¿Dio positivo? Informe usando el código QR a continuación:



Siendo Síntomático y Escuela

¿Crees que deberían ir a la escuela los estudiantes y empleados?

Las enfermedades y alergias de primavera llegaron, teniendo en cuenta que COVID-19 está en pleno apogeo en el momento. Es importante considerar seriamente tomando en cuenta si los estudiantes o empleados están experimentando un síntoma, y no dejándolos ir a trabajar de inmediato. Aun que estemos regresando a nuestras vidas "normales", aun estaremos pendiente por si viene el COVID-19 u otras enfermedades. Debajo hay una guía, para saber que hacer si alguien experimenta un síntoma parecido al COVID-19:

Si un individuo tiene uno de los siguientes síntomas:

- Fiebre (100.4F u arriba) u escalofríos
- Falta de aliento o Dificultad para respirar
- Cuerpo cortado o Dolores Musculares
- Tos (Síntoma nuevo, Cambio o Peor)
- Congestión nasal o nariz escorridiza
- Nausea, Vomito o Diarrea
- Dolor de Cabeza
- Fatiga
- Dolor de Garganta



Si estos síntomas se presentan, y el individuo pregunta si puede quedarse en casa para después hacerse una prueba de COVID-19. La prueba no solo será para la salud del individuo, sino para la salud de los demás y de la gente que está a su alrededor.

Las pruebas serán gratuitas y disponibles en las escuelas de sus hijos, en el Departamento de Salud del Condado del Pacifico, y las Bibliotecas del Condado.

Los estudiantes y empleados pueden regresar a sus programas de childcare, actividades o a la escuela después de:

Si prueban positivo:

- Después de los 5 Días de su primer síntoma &
- No fiebre dentro de las últimas 24 horas sin medicamento &
- Superado significativamente los síntomas &
- Usar su cubrebocas alrededor de otros en TODO momento de su último síntoma, en los últimos 10 días (Debes salir NEGATIVO con una prueba antigen para poder regresar sin cubrebocas). Si los empleados o estudiantes no pueden usar cubrebocas debido a sus condiciones de salud, ellos serán sometidos a aislamiento durante 10 Días desde que iniciaron sus síntomas.

Si prueban negativo:

- Sin fiebre dentro de las ultimas 24 horas (sin medicamento) &
- Si los síntomas se fueron completamente



Si un empleado o estudiante se han identificado como contacto cercano, ellos podrán continuar en la escuela. Aun que se recomienda que ellos prueben entre los 3-5 Días después de ser expuesto, y usando cubrebocas durante 10 días, y ver si tienen síntomas en los siguientes 10 días. Si dan positivo después de ser expuesto, por favor sigan las regulaciones arriba.

Por favor reporte cualquiera prueba positiva en el Departamento de Salud del Condado del Pacifico usando los codigos QR o el link proporcionado: <https://hipaa.jotform.com/220324575452048>.

COVID-19 Treatment Options

If you are high risk of severe illness due to COVID-19 (as defined below), call your provider to see if you are eligible!

Key points to know:

- Monoclonal antibody treatments (mAB) and oral antiviral medications are available in Pacific County
- Medical provider order is required
- Treatments are most effective if administered within the first few days of disease (the earlier the better)
- Those who are high risk due to age or certain underlying health conditions are eligible. Talk to your provider to see if they are right for you!

More information: <https://www.cdc.gov/coronavirus/2019-ncov/your-health/treatments-for-severe-illness.html>

END STATUS REPORT