




# Pacific County Weekly COVID-19 Data

## 1/26/2022

# Pacific County Weekly COVID 19 Case Data


Pacific County Case Data Summary	1/12/2022	1/19/2022	1/26/2022
Cases (Total)	2637	2953	3188
New cases this week	222	316	235
New cases over 14 days	369	538	551
Total Hospitalizations	134	137	143
New hospitalizations this week	6	3	6
Deaths (total)	42	42	43
Case rate per 100,000 population over 14 days	1700.5	2597	3114

Pacific County COVID-19 Case Rate per 100,000 population over past 14 days (trend over time)



# Deaths & Hospitalizations due to COVID-19 in Pacific County


*March 1, 2021- present*



Updated 1/26/2022

# COVID-19 Cases in Pacific County

*March 1, 2021- present*



Updated 1/26/2022

# Pacific County COVID-19 Cases by Age Group

Age	1/5/2022	1/12/2022	1/19/2022	1/26/2022
0-9	185	215	255	278
10-19	348	391	475	531
20-29	276	306	339	379
30-39	375	405	469	502
40-49	336	364	396	425
50-59	304	331	362	380
60-69	271	294	315	333
70+	251	266	285	300
Incomplete data	68	65	57	60

Case Rate by Zip Code	1/12/2022	1/19/2022	1/26/2022
Bay Center (98527)	25	30	36
Chinook (98614)	36	43	43
Ilwaco (98624)	111	120	136
Long Beach (98631)	301	329	366
Lebam (98554)	2	2	2
Naselle (98638)	143	166	195
Nahcotta (98637)	5	6	6
Menlo (98561)	5	5	5
Ocean Park (98640)	296	328	365
Oysterville (98641)	9	10	10
Seaview (98644)	63	74	82
Raymond (98577)	1072	1178	1252
South Bend (98586)	361	422	447
Tokeland (98590)	29	33	35
Grayland (98547)	40	47	49
Incomplete data	139	160	159

## Pacific County Cases by Zip Code

- Confirmed case count is specific to each zip code.
- Represents permanent residence of Pacific County COVID-19 cases.
- Not a representation of where COVID-19 exposure or transmission occurred.

Updated 1/26/2022

## Pacific County Vaccine Rates: Initiation & Fully Vaccinated

	1/12/22	1/19/22	1/26/22
Percent of total population initiating vaccine	61.3%	62%	62.4%
Percent of total population fully vaccinated	54.2%	54.6%	55%
Percent of population 12+ initiating vaccine	68.7%	69.3%	69.8%
Percent of population 12+ fully vaccinated	60.6%	61.1%	61.6%
Total doses given (includes boosters)	32,068	32,513	32,736



# Do I need a **BOOSTER?**

## Who's eligible?

## When should I get a booster?

## Which booster?

If you got...

**Pfizer**

Everyone 12+ should get their booster dose.

At least **5 months** after completing the primary series of Pfizer vaccine.

Adults 18+ can get a booster dose of any COVID-19 vaccines (Pfizer or Moderna preferred).

Children 12-17 should get a Pfizer booster.

If you got...

**Moderna**

Adults 18+ should get their booster dose.

At least **5 months** after completing the primary series of Moderna vaccine.

A booster dose of any COVID-19 vaccines (Moderna or Pfizer preferred).

If you got...

**Johnson & Johnson**

Adults 18+ should get their booster dose.

At least **2 months** after completing the primary series of J&J vaccine.

A booster dose of any COVID-19 vaccines (Pfizer or Moderna vaccine is preferred over a J&J vaccine).

**Find appointments at:**

[www.pacificcountycovid19.com/  
get-vaccinated](https://www.pacificcountycovid19.com/get-vaccinated)



**Got Symptoms?  
Get Tested.**

For a full list of testing options available  
in Pacific County, Please visit:

[www.pacificcountycovid19.com/get-tested](http://www.pacificcountycovid19.com/get-tested)

Or call 360-875-9407



**¿Tiene síntomas?  
Hacerse la prueba.**

Para obtener una lista completa de  
las opciones de prueba disponibles  
en el condado de Pacific, visite:

<https://tinyurl.com/bdesxrtk>

o llamar 360-875-9407

Download printable copies at: <http://www.pacificcountycovid19.com/if-you-have-covid-19.html>



## What to do if you are exposed to COVID:

**IF YOU were exposed to COVID-19 and are NOT up-to-date on COVID-19 vaccinations (including boosters if eligible)**

### **Quarantine for at least 5 days**

- Stay home for at least 5 full days.

### **Get tested**

- Get tested at least 5 days after close contact with someone with COVID-19.
- If you can't get a test and have symptoms, assume you are positive and isolate

### **Take precautions until Day 10**

- Wear a quality mask for 10 days while around others

### **Avoid travel**

**Avoid being around people who are high risk**

**IF YOU were exposed to COVID and you are up-to-date on COVID vaccinations**

### **No Quarantine**

- You do not need to stay home **unless** you develop symptoms

### **Take precautions until Day 10**

- Wear a quality mask for 10 days when around others.
- Get tested if you develop symptoms, or assume you are positive and isolate for 5 days

### **Avoid travel**

**Avoid being around people who are high risk**

**IF YOU were exposed and had confirmed COVID within the past 90 days**

### **No Quarantine**

- You do not need to quarantine **unless** you develop symptoms.

### **Take precautions until Day 10**

- Take precautions until Day 10
- Wear a mask for 10 days when around others.
- If you develop symptoms, assume you are positive and isolate for 5 days

### **Avoid travel**

**Avoid being around people who are high risk**



## What to do if you test positive:

**For non-tested:** If you are symptomatic or have been exposed to COVID and unable to get a test, please assume you are positive and follow the advice below. .

### **Isolate at home, away from others.**

- Isolate at least 5 days OR 24 hours after symptoms improve and no fever without fever reducing medicine **WHICHEVER IS LONGER**
- Day 1 of your isolation period begins the first full day after symptoms start
- Continue to wear a quality mask while around others until day 10

### **Reach out to your close contacts and let them know they've been exposed and they should quarantine.**

- Quarantine for a minimum of 5 days from the last date of exposure.
- If no symptoms by day 5, quarantine can end but continue to wear a face covering and monitor for symptoms until day 10.
- If symptoms develop, get tested. If unable to test, assume you are positive & isolate.
- Close contacts include anyone you were around who is not fully vaccinated for more than 15 minutes while you were infectious (2 days prior to when symptoms started)

### **Wear a mask while inside and ask others in your home to do the same (preferably a KN95, KF-94, or a 3-ply surgical mask, if possible)**

### **Ventilate your space as much as you can.**

- If your home has an HVAC system, make sure it has a fresh filter. Consider using a HEPA air purifier if you don't have HVAC.
- Open the windows and doors whenever possible and safe to do so.
- Use fans to move virus particles from inside your home to outside.

### **Stay hydrated, use OTC medications such as acetaminophen to manage symptoms. Seek medical care if you display the following symptoms:**

- Trouble breathing.
- Persistent pain or pressure in the chest.
- Confusion, inability to wake or stay awake.
- Pale, gray, or blue-colored skin, lips, or nail beds (or an abnormally low reading on a pulse oximeter, if you have one.)

\*This list is not all possible symptoms. Call your medical provider if you have any other severe or concerning symptoms.

More information at: [www.pacificcountycovid19.com](http://www.pacificcountycovid19.com)