


Pacific County COVID-19 Update September 7, 2022

Pacific County Weekly COVID 19 Case Data

Pacific County Case Data Summary	8/24/2022	8/31/2022	9/7/2022
Cases (Total)	4630	4658	4669
New cases this week	26	28	11
New cases over 14 days	60	54	39
Total Hospitalizations	193	194	195
New hospitalizations this week	0	1	1
Deaths (total)	63	63	65
Case rate per 100,000 population over 14 days	268	254	176



Pacific County COVID-19 Case Rate per 100,000 population over past 14 days (trend over time)

COVID-19 Cases, Hospitalizations, and Deaths by Vaccination Status Washington State Department of Health August 10, 2022

Unvaccinated 12-34 year-olds in Washington are

- 1.7 times more likely to get COVID-19 compared with fully vaccinated 12-34 year-olds.
- 4.1 times more likely to be hospitalized with COVID-19 compared with fully vaccinated 12-34 year olds.

Unvaccinated 35-64 year-olds are

- 1.6 times more likely to get COVID-19 compared with fully vaccinated 35-64 year-olds.
- 3.5 times more likely to be hospitalized with COVID-19 compared with fully vaccinated 35-64 year olds.

Unvaccinated 65+ year-olds are

- 2.1 times more likely to get COVID-19 compared with fully vaccinated 65+ year-olds.
- 3.2 times more likely to be hospitalized with COVID-19 compared with fully vaccinated 65+ year-olds.
- 3.1 times more likely to die of COVID-19 compared with fully vaccinated 65+ year-olds.

https://doh.wa.gov/sites/default/files/2022-02/421-010-CasesInNotFullyVaccinated.pdf?uid=62f3fec89798c

Pacific County Vaccine Rates: Initiation & Fully Vaccinated	8/31/2022	9/7/2022
Percent of total population initiating vaccine	69.8%	69.8%
Percent of total population fully vaccinated	62.7%	62.7%
Percent of population 16+ initiating vaccine	78.5%	78.5%
Percent of population 16+ fully vaccinated	70.9%	70.9%
Percent of the population 6 months + initiating vaccine	70.0%	70.0%
Percent of the population 6 months + who are fully vaccinated	62.9%	62.9%
Percent of the eligible population who has received a booster	55.3%	55.3%
Total doses given (initial series and boosters)	38,749	38,761

Case Rate by Zip Code	8/31/2022	9/7/2022
Bay Center (98527)	41	41
Chinook (98614)	77	78
llwaco (98624)	228	232
Long Beach (98631)	570	571
Lebam (98554)	17	17
Naselle (98638)	283	283
Nahcotta (98637)	10	10
Menlo (98561)	12	12
Ocean Park (98640)	671	672
Oysterville (98641)	14	14
Seaview (98644)	126	126
Raymond (98577)	1756	1760
South Bend (98586)	578	578
Tokeland (98590)	65	65
Grayland (98547)	73	73
Incomplete data	137	137


Pacific County Cases by Zip Code

- Confirmed case count is specific to each zip code.
- Represents permanent residence of Pacific County COVID-19 cases.
- Not a representation of where COVID-19 exposure or transmission occurred.

Pacific County COVID-19 Cases by Age Group

Age	8/17/2022	8/24/2022	8/31/2022	9/7/2022
0-9	393	394	396	396
10-19	694	695	695	695
20-29	491	491	495	495
30-39	641	644	645	646
40-49	578	579	584	585
50-59	563	567	572	575
60-69	585	590	593	597
70+	623	632	640	642
Incomplete data	36	38	38	38

SARS-CoV-2 Variant Proportions in WA



COVID-19 Omicron Variant Update

BA.5 continues to be the dominant variant with BA.4 and BA.4.6 as the next two most prevalent.


Findings for BA.5, BA.4 and BA.4.6 continue to show an increased ability to evade immune response from both vaccinations and prior infections.

We recommend those who do get sick to assume that they no longer have the increased immunity for 90 days and to continue exercising caution following quarantine/isolation.

Download printable copies at: http://www.pacificcountycovid19.com/if-you-have-covid-19.html



What to do if you are exposed to COVID:



Ouarantine for at least 5 days • Stay home for at least 5 full days.

Get tested

- Get tested at least 5 days after close contact with someone with COVID-19.
- If you can't get a test and have symptoms, assume you are positive and isolate

Take precautions until Day 10

- Wear a quality mask for 10 days while around others
- Avoid travel
- Avoid being around people who are high risk

No Quarantine • You do not need to stay home **unless** you develop were exposed symptoms to COVID and

Take precautions until Day 10

- you are up-to- Wear a quality mask for 10 days when around others. date on COVID
 - Get tested if you develop symptoms, or assume you

are positive and isolate for 5 days

Avoid travel

Avoid being around people who are high risk

No Ouarantine IF YOU You do not need to guarantine unless you develop

were exposed

and had **Take precautions until Day 10**

- confirmed
- **COVID** within
- the past 90

IF YOU

vaccinations

days

Avoid travel

Avoid being around people who are high risk

If you develop symptoms, assume you are positive



What to do if you test positive:

For non-tested: If you are symptomatic or have been exposed to COVID and unable to get a test, please assume you are positive an follow the advice below.

Isolate at home, away from others.

- Isolate at least 5 days OR 24 hours after symptoms improve and no fever without fever reducing medicine WHICHEVER IS LONGER
- Day 1 of your isolation period begins the first full day after symptoms start
- Continue to wear a guality mask while around others until day 10

Reach out to your close contacts and let them know they've been exposed and they should quarantine.

- Ouarantine for a minimum of 5 days from the last date of exposure.
- If no symptoms by day 5, guarantine can end but continue to wear a face covering and monitor for symptoms until day 10.
- If symptoms develop, get tested. If unable to test, assume you are positive & isolate.
- Close contacts include anyone you were around who is not fully vaccinated for more than 15 minutes while you were infectious (2 days prior to when symptoms started)

Wear a mask while inside and ask others in your home to do the same (preferably a KN95, KF-94, or a 3-ply surgical mask, if possible)

Ventilate your space as much as you can.

- If your home has an HVAC system, make sure it has a fresh filter. Consider using a HEPA air purifier if you don't have HVAC.
- · Open the windows and doors whenever possible and safe to do so.
- Use fans to move virus particles from inside your home to outside.

Stay hydrated, use OTC medications such as acetaminophen to manage symptoms. Seek medical care if you display the following symptoms:

- Trouble breathing.
- · Persistent pain or pressure in the chest.
- Confusion, inability to wake or stay awake.
- · Pale, gray, or blue-colored skin, lips, or nail beds (or an abnormally low reading on a pulse oximeter, if you have one.)

*This list is not all possible symptoms. Call your medical provider if you have any other severe or concerning symptoms.

More information at: www.pacificcountycovid19.com

 Take precautions until Day 10 Wear a mask for 10 days when around others.

symptoms.

and isolate for 5 days

Free At-Home COVID-19 Tests & N95 Masks

Pick yours up today!

- Naselle Library
- South Bend Library
- Raymond Library
- Ocean Park Library
- Ilwaco Library
- Pacific County Health Dept (Long Beach or South Bend Office)
- Olympic Area Agency on Aging
- City of Long Beach
- Shoalwater Clinic





COVID-19 Treatment Options

If you are high risk of severe illness due to COVID-19 (as defined below), call your provider to see if you are eligible!

Key points to know:

- Monoclonal antibody treatments (mAB) and oral antiviral medications are available in Pacific County
- Medical provider order is required
- Treatments are most effective if administered within the first few days of disease (the earlier the better)
- Those who are high risk due to age or certain underlying health conditions are eligible. Talk to your provider to see if they are right for you!

More information: <u>https://www.cdc.gov/coronavirus/2019-ncov/your-health/treatments-for-severe-illness.html</u>