


Public Health & Human Services


Pacific County COVID-19 Update December 15, 2022

Current COVID-19 Status




Access at https://doh.wa.gov/emergencies/covid-19/data-dashboard then click/select our county for a summary of the current status. The current **7-day rate** is considered **"Substantial."**

Disease Activity: Case Count




DOH has recorded 4,748 cases of COVID-19 as of 12/15.
27 new cases have been reported since 12/8.

Disease Activity: Hospitalization Count



DOH has recorded **231** hospitalizations linked to COVID-19 as of 12/15. 4 new hospitalizations have been reported since 12/8.


Disease Activity: Hospitalization Count



DOH has recorded <u>73</u> deaths linked to COVID-19 as of 12/15.

<u>0 new deaths have been reported since</u> 12/8.

Disease Activity: Case Rate per 100K



The current 7-day case rate is 54.9 per 100,000. This is much greater than as last week's (12/8) rate of 18.3 per 100,000.

COVID-19 Cases, Hospitalizations, and Deaths by Vaccination Status Washington State Department of Health

December 14, 2022

Unvaccinated 12-34 year-olds in Washington are

- 2 times more likely to get COVID-19 compared with fully vaccinated 12-34 year-olds.
- 4.7 times more likely to be hospitalized with COVID-19 compared with fully vaccinated 12-34 year olds.

Unvaccinated 35-64 year-olds are


- 1.9 times more likely to get COVID-19 compared with fully vaccinated 35-64 year-olds.
- 3.3 times more likely to be hospitalized with COVID-19 compared with fully vaccinated 35-64 year olds.

Unvaccinated 65+ year-olds are

- 2.3 times more likely to get COVID-19 compared with fully vaccinated 65+ year-olds.
- 3.2 times more likely to be hospitalized with COVID-19 compared with fully vaccinated 65+ year-olds.
- 3.1 times more likely to die of COVID-19 compared with fully vaccinated 65+ year-olds.

https://doh.wa.gov/sites/default/files/2022-02/421-010-CasesInNotFullyVaccinated.pdf?uid=6346f5443f934

Vaccination Status: Total Doses




40,654 vaccine doses have been administered in Pacific County. This is a 33 dose increase from last week's count: 40,621

Vaccination Status: Vaccine Proportions

VACCINATIONS Where and when are How many people are getting Who is getting vaccinated? Initiated Completed Any Booster Bivalent Booster vaccinations being given? vaccinated? COVID-19 IN WASHINGTON STATE Initiated Primary Series (Received At Least 1 Dose of Primary Series) DATA AS OF 12/12/2022 11:59:00 PM PT This chart shows the number of people in Washington who have initiated their primary series. People who have initiated their primary series represent the total number of people who have received at least one dose of any type of COVID-19 vaccine. Individuals who have completed their primary series are included in the count of both initiated and completed. Please note, the measures "vaccines given" and "people vaccinated" are not comparable. Vaccines given counts the number of doses given in a location. People vaccinated counts the number of Washington residents who have initiated their primary series, completed their primary series, received any hooster, and received a hivalent hooster. Numbers may not always align since people may live in a different county than where they got TOTAL POPULATION THAT INITIATED PRIMARY SERIES SELECT COUNTIES Percent of Total 71.1% ∠ Search Population Initiating Lincoln County Primary Series Mason County 63.8% Percent of Total Leaend Okanogan County Population Completing ✓ Pacific County Primary Series Pend Oreille County Percent of Population 80.1% >60% to 80% Initiating Primary Series Pierce County >40% to 60% (16+)San Juan County 72.1% Percent of Population Skagit County >20% to 40% Completing Primary Series Skamania County >0% to 20% (16+) Snohomish County Percent of Population 71.4% Zero Spokane County Initiating Primary Series Stevens County (6mo+)☐ Thurston County Percent of Population 64.0% Unassigned Completing Primary Series (6mo+) ■ Wahkiakum County Percent of Eligible People Walla Walla County 57.3% Receiving Any Booster Map View Percent of Eligible People 21.2% Receiving a Bivalent County data for people who initiated their primary series are based on the vaccine recipient's county of residence, 75,947 people Tabular View who have initiated their primary series do not have a county reported. For 523 people who initiated their primary series, we are Booster (5+)

SARS-CoV-2 Variant Proportions in WA



COVID-19 Omicron Variant Update

BA.5 continues to be the dominant variant with BQ.1 & BF.7 as the next two most prevalent. BQ.1, BF.7, and BQ.1.1 are sub variants of BA.5.

Findings for BA.5 have shown an increased ability to evade immune response from both initial vaccinations and prior infections.

However, the current bivalent vaccine booster is specifically designed for and very effective against these Omicron variants.

Scheduling information here.

Updated 12/1/2022

Download printable copies at: http://www.pacificcountycovid19.com/if-you-have-covid-19.html



What to do if you are exposed to COVID-19:

If you were exposed and you <u>DO NOT</u> have symptoms (regardless of vaccination status)

No quarantine

 You do not need to quarantine unless you develop symptoms

Take precautions until day 10

- Get tested if you develop symptoms
- Wear a quality mask for 10 days while around others
- Avoid travel
- · Avoid being around people who are high risk

Quarantine for at least 5 days

If you were exposed and you <u>HAVE</u> symptoms (regardless of vaccination status)

Get tested

- Test right away and then again on day 5
- If you can't get a test, but have been exposed and have symptoms, assume you are positive and isolate
- If positive, isolate for 5 days after symptom onset

Continue to take precautions on day 5-10 including:

- Wearing a quality face mask while around others.
- Avoiding travel
- Avoiding being around people who are high risk

More information:

www.cdc.gov/coronavirus/2019-ncov/your-health/quarantine-isolation www.pacificcountycovid19.com



What to do if you test positive for COVID-19

Updated August 11, 2022

Isolate at home and stay away from others.

- Isolate at least 5 days, or 24 hours after symptoms improve and no fever without medication, WHICHEVER IS LONGER.
- Day 1 of your isolation period begins the first full day after symptoms start.
- Wear a quality face covering at all times when around others through day 10. It is very
 important to wear a mask at all times for the entire 10 days- even after you are out of
 isolation- as you may still be contagious on days 5-10
- Improve ventilation by opening windows and/or using air purifiers with HEPA filters.
- Stay hydrated, use OTC medications to manage symptoms.
- Seek medical care if you experience severe symptoms

If you are high risk due to age (over 65), or underlying health condition, contact your provider for treatment options including oral antiviral medication that can help reduce the severity of COVID-19. If you do not have a provider or are unable to get an appt within 48 hrs. call 1-800-525-0127 for a free telehealth appointment.

Reach out to your close contacts and let them know they've been exposed

 Close contacts include anyone you were around for more than 15 minutes from 2 days prior to when you first developed symptoms through today.

Close contacts are not required to quarantine, but should take precautions until day 10

- . Get tested (right away if you have symptoms, or on day 5 if you do not have symptoms)
- Wear a quality mask for 10 days while around others
- Avoid trave
- Avoid being around people who are high risk

Find more information at:

www.cdc.gov/coronavirus/2019-ncov/your-health/quarantine-isolation www.pacificcountycovid19.com

Descargue copias imprimibles en: http://www.pacificcountycovid19.com/if-you-have-covid-19.html



Que hacer si a sido expuesto al COVID-19:

Si usted fue expuesto y <u>NO</u> tiene síntomas (independientemente de los estados de vacunación)

Si ha sido expuesto v

(independientemente

SI tiene síntomas

de los estados de

vacunación)

No haga cuarentena

 No necesita hacer cuarentena al menos que desarrolle síntomas

Tenga precaución por un total de 10 días

- Hágase la prueba si desarrolla síntomas
- Use una mascarilla de calidad alrededor de otras personas por un total de 10 días
- Evite viajar
- Evite el contacto con personas de alto riesgo

Haga cuarentena por al menos 5 días

Hágase la prueba

- Hágase una prueba de inmediato y otra el dia 5
- Si no puede obtener una prueba, ha sido expuesto y tiene síntomas, asuma que está positivo y aléjese de otros
- Si da positivo, haga aislamiento por 5 días tras el desarrollo de síntomas

Siga tomando precaución del dia 5 al 10 esto incluve :

- Usar una mascarilla ajustada alrededor de otros,
- Evitando viajar
- Evitando el contacto con personas del alto riesgo

Encuentre más información visitando:

www.cdc.gov/coronavirus/2019-ncov/your-health/quarantine-isolation www.pacificcountycovid19.com



Qué hacer si da positivo al COVID-19:

Última actualización: 11 de ago. del 2022

Aisles en casa y aléiese de los demás.

- Aíslese por lo menos 5 días o 24 horas después de que hayan mejorado sus síntomas o que no tenga fiebre sin el uso de medicamento contra la fiebre CUALQUIERA QUE DURE MÁS.
- El primer día del periodo de aislamiento comienza un día después de presentar síntomas.
- Use una mascarilla de calidad en todo momento alrededor de otras personas durante un total de 10 días. Es muy importante usar la mascarilla por un total de 10 días aun si ha terminado su aislamiento – ya que aún puede ser contagioso en los días 5-10.
- Mejore la ventilación abriendo ventanas y/o usando purificadores de aire con filtro absorbente de partículas de alta eficiencia (HEPA Filter).
- Manténgase hidratado, use medicamentos sin receta para controlar sus síntomas.
- Busque atención médica si presenta síntomas severos.

Si usted tiene un alto riesgo de enfermarse (mayor de 65), o alguna condición médica, contacte a su proveedor médico para opciones de tratamiento incluyendo tratamientos antivirales que pueden ayudar a evitar la forma grave del COVID-19. Si usted no tiene un proveedor médico o no puede tener una cita médica dentro de 48 horas, llame al 1-800-525-0127 para una cita gratis de telesalud.

Avise a sus contactos cercanos que han sido expuestos

- Los contactos cercanos incluyen cualquier persona con quien usted haya tenido contacto por más de 15 minutos hasta 2 días antes de que usted haya presentado síntomas.
- No es necesario que los contactos cercanos hagan cuarentena, pero deben tener precaución un total de 10 días
- Hágase la prueba si desarrolla síntomas
- Use una mascarilla de calidad por un total de 10 días
- Evite viaiar
- Evite el contacto cercano con personas de alto riesgo

Encuentre más información visitando:

www.cdc.gov/coronavirus/2019-ncov/your-health/quarantine-isolation www.pacificcountycovid19.com

Free At-Home COVID-19 Tests

Pick yours up today!

- Naselle Library
- South Bend Library
- Raymond Library
- Ocean Park Library
- Ilwaco Library
- Pacific County Health Dept (Long Beach or South Bend Office)
- Olympic Area Agency on Aging
- City of Long Beach
- Shoalwater Clinic





COVID-19 Treatment Options

If you are high risk of severe illness due to COVID-19 (as defined below), call your provider to see if you are eligible!

Key points to know:

- Monoclonal antibody treatments (mAB) and oral antiviral medications are available in Pacific County
- Medical provider order is required
- Treatments are most effective if administered within the first few days of disease (the earlier the better)
- Those who are high risk due to age or certain underlying health conditions are eligible. Talk to your provider to see if they are right for you!

More information: https://www.cdc.gov/coronavirus/2019-ncov/your-health/treatments-for-severe-illness.html

Don't have a provider? You can call <u>1-800-525-0127</u>, then press # to schedule your video consultation via the DOH hotline for FREE. Visit here for more telehealth information: https://doh.wa.gov/emergencies/covid-19/treatments/free-telehealth