



# Pacific County COVID-19 Update

## February 9, 2023

# Current COVID-19 Status

## Pacific County Summary


**37** CASES PER 100,000 POPULATION

**6%** OF HOSPITAL BEDS OCCUPIED BY COVID-19 PATIENTS

**64%** OF POPULATION COMPLETING PRIMARY SERIES

● Low ● Moderate ● Substantial ● High


TREND IN 7-DAY RATE OF NEW COVID-19 CASES PER 100,000 POPULATION



*Cases from the last 8 days are not reported  
Hospital bed occupancy is reported only at the state level*

## 7-DAY CASE RATE PER 100,000 POPULATION

Measurement Period: 1/23/2023-1/30/2023




Click on the map for county data




12 cases in the measurement period do not have an assigned county

## TOTAL POPULATION COMPLETING PRIMARY VACCINATION SERIES

Measurement Period: 12/15/2020-02/06/2023




Click on the map for county data



60,747 people completing the primary vaccination series do not have a county reported

Access at <https://doh.wa.gov/emergencies/covid-19/data-dashboard> then click/select our county for a summary of the current status. The current **7-day** rate is considered “**Moderate.**”


# Disease Activity: Case Count



DOH has recorded **4,823** cases of COVID-19 as of 2/9/23.

**16** new cases have been reported since 2/2/23.


# Disease Activity: Hospitalization Count



DOH has recorded **243** hospitalizations linked to COVID-19 as of 2/9/23.

**2** new hospitalization have been reported since 2/2/23.


# Disease Activity: Death Count



DOH has recorded **78** deaths linked to COVID-19 as of 2/9/23.

**0** new deaths have been reported since 2/2/23.

# Disease Activity: Case Rate per 100K



The current 7-day case rate is **36.6 per 100,000**.

This is **less than** last week's (2/2) rate of **45.8 per 100,000**.

# COVID-19 Cases, Hospitalizations, and Deaths by Vaccination Status

## Washington State Department of Health (Monthly)

January 18, 2023

Unvaccinated 12-34 year-olds in Washington are

- 2 times more likely to get COVID-19 compared with fully vaccinated 12-34 year-olds.
- 3.5 times more likely to be hospitalized with COVID-19 compared with fully vaccinated 12-34 year olds.

Unvaccinated 35-64 year-olds are


- 1.8 times more likely to get COVID-19 compared with fully vaccinated 35-64 year-olds.
- 2.6 times more likely to be hospitalized with COVID-19 compared with fully vaccinated 35-64 year olds.

Unvaccinated 65+ year-olds are

- 2.4 times more likely to get COVID-19 compared with fully vaccinated 65+ year-olds.
- 3.4 times more likely to be hospitalized with COVID-19 compared with fully vaccinated 65+ year-olds.
- 4.1 times more likely to die of COVID-19 compared with fully vaccinated 65+ year-olds.

<https://doh.wa.gov/sites/default/files/2022-02/421-010-CasesInNotFullyVaccinated.pdf?uid=63c951bd4a4c8>

# Vaccination Status: Total Doses



**40,982** vaccine doses have been administered in Pacific County.

This is a **19** dose increase from the previous count: **40,963**



# Vaccination Status: Vaccine Proportions

## SELECT COUNTIES


- Search
- ☐ King County
  - ☐ Kitsap County
  - ☐ Kittitas County
  - ☐ Klickitat County
  - ☐ Lewis County
  - ☐ Lincoln County
  - ☐ Mason County
  - ☐ Okanogan County
  - ☒ Pacific County
  - ☐ Pend Oreille County
  - ☐ Pierce County
  - ☐ San Juan County
  - ☐ Skagit County
  - ☐ Skamania County
  - ☐ Snohomish County
  - ☐ Spokane County

Map View


Tabular View

Percent of Total Population Initiating Primary Series	71.4%
Percent of Total Population Completing Primary Series	64.0%
Percent of Population Initiating Primary Series (16+)	80.5%
Percent of Population Completing Primary Series (16+)	72.4%
Percent of Population Initiating Primary Series (6mo+)	71.7%
Percent of Population Completing Primary Series (6mo+)	64.2%
Percent of Eligible People Receiving Any Booster (5+)	57.6%
Percent of Eligible People Receiving a Bivalent Booster (5+)	23.5%

## TOTAL POPULATION THAT COMPLETED PRIMARY SERIES




## Legend



County data for people who completed their primary series are based on the vaccine recipient's county of residence. 60,747 people who completed their primary series do not have a county reported. For 455 people who completed their primary series, we are

# SARS-CoV-2 Variant Proportions in WA



Updated 1/25/23 (monthly)

## COVID-19 Omicron Variant Update

BQ.1 and BQ.1.1 has risen to be the dominant Omicron sublineages with BA.5 as the next most prevalent.

We are seeing more of XBB and XBB 1.5 nationally and within Washington, which is another variant that has an increased infectivity compared to BA's and BQ's.

The current bivalent vaccine booster is specifically designed for and effective against these Omicron sublineages.

[Scheduling information here.](#)

Download printable copies at: <http://www.pacificcountycovid19.com/if-you-have-covid-19.html>



## What to do if you are exposed to COVID-19:

If you were exposed and you **DO NOT** have symptoms (regardless of vaccination status)

### No quarantine

- You do not need to quarantine unless you develop symptoms

### Take precautions until day 10

- Get tested if you develop symptoms
- Wear a quality mask for 10 days while around others
- Avoid travel
- Avoid being around people who are high risk

If you were exposed and you **HAVE** symptoms (regardless of vaccination status)

### Quarantine for at least 5 days

#### Get tested

- Test right away and then again on day 5
- If you can't get a test, but have been exposed and have symptoms, assume you are positive and isolate
- If positive, isolate for 5 days after symptom onset

#### Continue to take precautions on day 5-10 including:

- Wearing a quality face mask while around others,
- Avoiding travel
- Avoiding being around people who are high risk

#### More information:

[www.cdc.gov/coronavirus/2019-ncov/your-health/quarantine-isolation](http://www.cdc.gov/coronavirus/2019-ncov/your-health/quarantine-isolation)  
[www.pacificcountycovid19.com](http://www.pacificcountycovid19.com)



## What to do if you test positive for COVID-19

*Updated August 11, 2022*

### Isolate at home and stay away from others.

- Isolate at least 5 days, or 24 hours after symptoms improve and no fever without medication, **WHICHEVER IS LONGER**.
- Day 1 of your isolation period begins the first full day after symptoms start.
- Wear a quality face covering at all times when around others through day 10. It is very important to wear a mask at all times for the entire 10 days- even after you are out of isolation- as you may still be contagious on days 5-10
- Improve ventilation by opening windows and/or using air purifiers with HEPA filters.
- Stay hydrated, use OTC medications to manage symptoms.
- Seek medical care if you experience severe symptoms

**If you are high risk due to age (over 65), or underlying health condition, contact your provider for treatment options including oral antiviral medication that can help reduce the severity of COVID-19. If you do not have a provider or are unable to get an appt within 48 hrs, call 1-800-525-0127 for a free telehealth appointment.**

### Reach out to your close contacts and let them know they've been exposed

- Close contacts include anyone you were around for more than 15 minutes from 2 days prior to when you first developed symptoms through today.

### Close contacts are not required to quarantine, but should take precautions until day 10

- Get tested (right away if you have symptoms, or on day 5 if you do not have symptoms)
- Wear a quality mask for 10 days while around others
- Avoid travel
- Avoid being around people who are high risk

#### Find more information at:

[www.cdc.gov/coronavirus/2019-ncov/your-health/quarantine-isolation](http://www.cdc.gov/coronavirus/2019-ncov/your-health/quarantine-isolation)  
[www.pacificcountycovid19.com](http://www.pacificcountycovid19.com)

Descargue copias imprimibles en: <http://www.pacificcountycovid19.com/if-you-have-covid-19.html>



## Que hacer si a sido expuesto al COVID-19:

Si usted fue expuesto y **NO** tiene síntomas (independientemente de los estados de vacunación)

### No haga cuarentena

- No necesita hacer cuarentena al menos que desarrolle síntomas

### Tenga precaución por un total de 10 días

- Hágase la prueba si desarrolla síntomas
- Use una mascarilla de calidad alrededor de otras personas por un total de 10 días
- Evite viajar
- Evite el contacto con personas de alto riesgo

Si ha sido expuesto y **SI** tiene síntomas (independientemente de los estados de vacunación)

### Haga cuarentena por al menos 5 días

#### Hágase la prueba

- Hágase una prueba de inmediato y otra el día 5
- Si no puede obtener una prueba, ha sido expuesto y tiene síntomas, asuma que está positivo y aléjese de otros
- Si da positivo, haga aislamiento por 5 días tras el desarrollo de síntomas

#### Siga tomando precaución del día 5 al 10 esto incluye :

- Usar una mascarilla ajustada alrededor de otros,
- Evitando viajar
- Evitando el contacto con personas del alto riesgo

Encuentre más información visitando:

[www.cdc.gov/coronavirus/2019-ncov/your-health/quarantine-isolation](http://www.cdc.gov/coronavirus/2019-ncov/your-health/quarantine-isolation)  
[www.pacificcountycovid19.com](http://www.pacificcountycovid19.com)



## Qué hacer si da positivo al COVID-19:

Última actualización: 11 de ago. del 2022

### Aísele en casa y aléjese de los demás.

- Aísele por lo menos 5 días o 24 horas después de que hayan mejorado sus síntomas o que no tenga fiebre sin el uso de medicamento contra la fiebre CUALQUIERA QUE DURE MÁS.
- El primer día del periodo de aislamiento comienza un día después de presentar síntomas.
- Use una mascarilla de calidad en todo momento alrededor de otras personas durante un total de 10 días. Es muy importante usar la mascarilla por un total de 10 días aun si ha terminado su aislamiento – ya que aún puede ser contagioso en los días 5-10.
- Mejore la ventilación abriendo ventanas y/o usando purificadores de aire con filtro absorbente de partículas de alta eficiencia (HEPA Filter).
- Manténgase hidratado, use medicamentos sin receta para controlar sus síntomas.
- Busque atención médica si presenta síntomas severos.

**Si usted tiene un alto riesgo de enfermarse (mayor de 65), o alguna condición médica,** contacte a su proveedor médico para opciones de tratamiento incluyendo tratamientos antivirales que pueden ayudar a evitar la forma grave del COVID-19. Si usted no tiene un proveedor médico o no puede tener una cita médica dentro de 48 horas, llame al 1-800-525-0127 para una cita gratis de telesalud.

### Avise a sus contactos cercanos que han sido expuestos

- Los contactos cercanos incluyen cualquier persona con quien usted haya tenido contacto por más de 15 minutos hasta 2 días antes de que usted haya presentado síntomas.
- 

### No es necesario que los contactos cercanos hagan cuarentena, pero deben tener precaución un total de 10 días.

- Hágase la prueba si desarrolla síntomas
- Use una mascarilla de calidad por un total de 10 días
- Evite viajar
- Evite el contacto cercano con personas de alto riesgo

Encuentre más información visitando:

[www.cdc.gov/coronavirus/2019-ncov/your-health/quarantine-isolation](http://www.cdc.gov/coronavirus/2019-ncov/your-health/quarantine-isolation)  
[www.pacificcountycovid19.com](http://www.pacificcountycovid19.com)

# Free At-Home COVID-19 Tests

*Pick yours up today!*

- Naselle Library
- South Bend Library
- Raymond Library
- Ocean Park Library
- Ilwaco Library
- Pacific County Health Dept (Long Beach or South Bend Office)
- Olympic Area Agency on Aging
- City of Long Beach
- Shoalwater Clinic



# COVID-19 Treatment Options

*If you are high risk of severe illness due to COVID-19 (as defined below), call your provider to see if you are eligible!*

Key points to know:

- Monoclonal antibody treatments (mAB) and oral antiviral medications are available in Pacific County
- Medical provider order is required
- Treatments are most effective if administered within the first few days of disease (the earlier the better)
- Those who are high risk due to age or certain underlying health conditions are eligible. Talk to your provider to see if they are right for you!

More information: <https://www.cdc.gov/coronavirus/2019-ncov/your-health/treatments-for-severe-illness.html>

\*Don't have a provider? You can call [1-800-525-0127](tel:1-800-525-0127), then press # to schedule your video consultation via the DOH hotline for FREE. Visit here for more telehealth information: <https://doh.wa.gov/emergencies/covid-19/treatments/free-telehealth>\*